EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	758	713/153.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:02
S2	829	713/155.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:02
S3	438	713/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:02
S4	1831	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:04
S5	694	726/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:04
S6	343	726/14.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:05
S7	274	726/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:07

S8	29	(inside outside) near2 firewall same ("without" "no" "not" unable) near4 (encrypt$3 decrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:31
S9	27	((HIDEHIKO) near2 (FUJIWARA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/24 19:12
S10	141	((YOSHIKAZU) near2 (KOBAYASHI)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/24 19:16
S11	231508	((YOSHIKAZU) near2 (KOBAYASHI))". INV.8" an d9	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/24 19:16
S12	1	S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:17
S13	1	S8 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:17
S14	10	S1 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:24
S15	565	(bulfer near andrew)"in."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:25
S16	36	(bulfer near andrew)"in." and telephone.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:28

S17	0	S15 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:29
S18	167	(inside outside) near2 firewall and ("without" "no" "not" unable) near4 (encrypt$3 decrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:32
S19	0	S15 and S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:31
S20	4	S15 and firewall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:32
S21	4	S15 and intranet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:32
S22	173	(inside outside) near2 (firewall barrier) and ("without" "no" "not" unable) near4 (encrypt$3 decrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:05
S23	48	S22 not "29"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:33

EAST Search History

S24	26	(firewall barrier) and ("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:07
S25	39	(firewall barrier) and ("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:31
S26	148	(firewall barrier) and ((("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)) (traffic near2 (clear unencrypt$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:32
S27	1	(((("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)) (traffic near2 (clear unencrypt$3))) with outside with (firewall barrier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:48
S28	27	(((("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)) (traffic near2 (clear unencrypt$3))) with (internet web)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:46
S29	3	(((("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)) (traffic near2 (clear unencrypt$3))) with (intranet (inside near firewall))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:48
S30	12	(((("without" "no" "not" unable) near2 (capability ability mechanism hardware capacity capable adapt$3 adaptation) near4 (encrypt$3 decrypt$3 cryptograph$3)) (traffic near2 (clear unencrypt$3))) with (intranet (inside near firewall) vpn)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:56

EAST Search History

S31	25111	web with (ip voice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:57
S32	803	web with (ip voice) with determin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:45
S33	214	web with (ip voice) with determin$3 and intranet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:59
S34	167	web with (telephon$4 voice) with determin$3 and intranet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:04
S35	56	web with (telephon$4 voice) with determin$3 and intranet and encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:17
S36	85	intranet with (clear unencrypt$3) and (outside behind inbound incoming internet) with encrypt$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:19
S37	1	S5 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:50

EAST Search History

S38	8	("20010015969"|"20010021186"|"5392357"|"6215784").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:50
S39	1549	(intranet vpn internet) same (encrypt$3) near3 (determin$3 analyz$3 analysis process$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:47
S40	13885	(("without" "no" "not" unable "don't" "doesn't") near4 (encrypt$3 decrypt$3 cryptograph$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:51
S41	580	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:50
S42	4271	(("without" "no" "not" unable "don't" "doesn't") near4 (encrypt$3 decrypt$3 cryptograph$3)) with (device computer user client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:51
S43	5488	(("without" "no" "not" unable "don't" "doesn't" "cannot" "can't") near4 (encrypt$3 decrypt$3 cryptograph$3)) with (device computer user client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:52
S44	263	S39 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:53

Google

firewall no encryption mechanism	Search	Advanced Search
		Preferences

Web   Results **1 - 10** of about **18,200** for <u>firewall</u> no <u>encryption</u> <u>mechanism</u>. (0.11 seconds)

[PDF] <u>A **firewall** approach to personal knowledge system -</u>
<u>Computer-Based ...</u>
File Format: PDF/Adobe Acrobat
No spaces need to be. preallocated to our personal knowledge
system .... The **encryption mechanism** is with a few modification to
allow other **encryption ...**
ieeexplore.ieee.org/iel5/8605/27272/01212805.pdf

[PDF] <u>Secure network communication using biometrics -</u>
<u>Multimedia and ...</u>
File Format: PDF/Adobe Acrobat
and **encryption mechanism ....** dedicated machines outside the
firewall to provide secure login. .... 85, **no**. 9, Sept.,. pp. 1343-
1492, 1997. **...**
ieeexplore.ieee.org/iel5/8766/27769/01237691.pdf
[<u>More results from ieeexplore.ieee.org</u>]

[PDF] <u>VPN construction method for multiple **firewall** environment</u>
File Format: PDF/Adobe Acrobat
the **encryption mechanism**. 4.2. Securing of connectivity. When the organization's VPN is
a transport-applica-. tion layer type, the **firewall** of the **...**
dx.doi.org/10.1002/1520-684X(200012)31:14%3C57::AID-SCJ7%3E3.0.CO;2-M

[PDF] <u>Building adaptive systems using ensemble</u>
File Format: PDF/Adobe Acrobat
the **firewall** joins a conference that was until then within the **firewall**, the system. has to
switch to using signing and possibly **encryption mechanisms. ...**
dx.doi.org/10.1002/(SICI)1097-024X(19980725)28:9%3C963::AID-SPE179%3E3.0.CO;2-9
[<u>More results from dx.doi.org</u>]

[PDF] <u>Concert IP Secure — a Managed **Firewall** and VPN Service</u>
File Format: PDF/Adobe Acrobat
some form of tunnelling, there is usually **no encryption**,. and therefore security is limited. **...**
as a transport **mechanism** and encrypt data passing **...**
www.springerlink.com/index/M760031U24314802.pdf

[PDF] <u>Chapter 32 SELECTING **FIREWALL** SECURITY TOPOLOGY POLICY</u>
File Format: PDF/Adobe Acrobat
Groups are encouraged to transition. to IMAP. Better support for travel, **encryption**.
USENET news. NTTP. blocked at **firewall**. **no** business need **...**
www.springerlink.com/index/l330562j78533802.pdf
[<u>More results from www.springerlink.com</u>]

[PDF] <u>Security in Mobile Agent System: Problems and Approaches*</u>
File Format: PDF/Adobe Acrobat
course, the security **mechanisms** under single-computer environment are still useful. 2.3
Mobile Agent Security. The **firewall** model is quite a success **...**
portal.acm.org/citation.cfm?doid=506128.506131

PoPToP, a Secure and Free VPN Solution
When the expense of a remote access server is **no** longer attractive, ... PPTP is transparent to the authentication and **encryption mechanism**. ...
portal.acm.org/ft_gateway.cfm?id=349335&type=html&coll=ACM&dl=ACM
[More results from portal.acm.org]

[PDF] Secure virtual private networks: the future of data communications
File Format: PDF/Adobe Acrobat
carried out with extreme caution as **no encryption ... mechanisms** from those who would seek to ... evaluating the strength of **firewall** features are the ...
doi.wiley.com/10.1002/(SICI)1099-1190(199907/08)9:4%3C213::AID-NEM328%3E3.3.CO;2-5

[PDF] Web services in third-generation service platforms
File Format: PDF/Adobe Acrobat
the callback **mechanism** for the trigger-type methods. Web Service Security ..... and **no encryption** is needed between the Web ...
doi.wiley.com/10.1002/bltj.10011
[More results from doi.wiley.com]

1 2 3 4   **Next**

Try Google Desktop: search your computer as easily as you search the web.

| firewall no encryption mechanism | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Try your query on the entire web